


共通仕様	
直径公差	+0/-0.13mm
厚さ公差	±0.25mm
焦点距離公差	±2%
光軸ズレ	3 arc min以下
開口径	直径の90%以上
面精度	$\lambda/2$ per 1インチ @ 632.8nm
面品質	40/20
ARコーティング	R<0.5% @ 10.6 (片面)



型番	直径 (mm)	EFL (mm)	BFL (inch)	ET (mm)	M.D. (inch)	耐圧 (max PSI)
IN-LZ-8-22.5-ET1.8	8	22.5	-	1.8	-	-
IN-LZ-8-50-ET2	8	50	-	2	-	-
IN-LZ-10-1.5-ET2	10	38.1	-	2	-	-
IN-LZ-12-7.1-ET1.5	12	7.1	-	1.5	-	-
IN-LZ-0.5-1-ET2.1	12.7	25.4	-	2.1	-	-
IN-LZ-0.5-1.5-ET2	12.7	38.1	-	2	-	-
IN-LZ-0.5-1.5-ET2.1	12.7	38.1	-	2.1	-	-
IN-LZ-0.5-1.5-ET2.5	12.7	38.1	-	2.5	-	-
IN-LZ-0.5-2.5-ET2	12.7	63.5	-	2	-	-
IN-LZ-0.5-5-ET2	12.7	127	-	2	-	-
IN-LZ-0.5-6-ET2	12.7	152.4	-	2	-	-
IN-LZ-0.5-8-ET2	12.7	203.2	-	2	-	-
IN-LZ-13-50.6-ET2.7	13	50.6	-	2.7	-	-
IN-LZ-15-16-ET2	15	16	-	2	-	-
IN-LZ-15-1.5-ET2	15	38.1	-	2	-	-
IN-LZ-15.8-47-ET2	15	47	-	2	-	-
IN-LZ-15-2-ET1.52	15	50.8	-	2	-	-
IN-LZ-15-150-ET2	15	150	-	2	-	-
IN-LZ-0.6-1-ET2	15.2	25.4	-	2	-	-
IN-LZ-0.6-1.5-ET3	15.2	38.1	-	3	-	-
IN-LZ-0.6-1.5-ET2	15.2	38.1	1.459	2	1.459	-
IN-LZ-0.6-1.5-ET1.5	15.2	38.1	-	1.5	-	-
IN-LZ-0.6-2-ET2	15.2	50.6	1.952	2	1.952	-
IN-LZ-0.6-2.5-ET2	15.2	63.5	2.462	2	2.462	-
IN-LZ-0.6-3.5-ET2	15.2	88.9	-	2	-	-
IN-LZ-0.6-4-ET2	15.2	101.6	3.964	2	3.964	-
IN-LZ-0.6-5-ET2	15.2	127	-	2	-	-
IN-LZ-17.5-1.5-ET2	17.5	38.1	-	2	-	-
IN-LZ-17.5-2.0-ET2.1	17.5	50.8	-	2.1	-	-
IN-LZ-17.5-2.5-ET2	17.5	63.5	-	2	-	-
IN-LZ-17.5-3-ET2.3	17.5	76.2	-	2.3	-	-
IN-LZ-17.5-3.38-ET2	17.5	86.4	-	2	-	-
IN-LZ-18-127-ET2	18	127	-	2	-	-
IN-LZ-0.75-1-ET2	19	25.4	-	2	-	-
IN-LZ-0.75-1.5-ET2	19	38.1	1.459	2	1.459	-
IN-LZ-0.75-2-ET2	19	50.6	1.952	2	1.952	-
IN-LZ-0.75-2.5-ET2	19	63.5	2.459	2	2.459	-
IN-LZ-0.75-70-ET2	19	70	-	2	-	-
IN-LZ-0.75-3-ET2	19	76.2	-	2	-	-
IN-LZ-0.75-4-ET2	19	101.6	3.962	2	3.962	-
IN-LZ-0.75-4-ET3	19	101.6	-	3	-	-
IN-LZ-0.75-5-ET2	19	127	-	2	-	-
IN-LZ-0.75-12-ET2	19	304.8	-	2	-	-
IN-LZ-20-14.5-ET2.9	20	14.5	-	2.9	-	-
IN-LZ-20-22-ET5	20	22	-	5	-	-
IN-LZ-20-1.5-ET2	20	38.1	-	2	-	-
IN-LZ-20-38.6-ET3.5	20	38.6	-	3.5	-	-

IN-LZ-20-2-ET2	20	50.8	-	2	-	-
IN-LZ-20-6.9-ET2.8	20	175.3	-	2.8	-	-
IN-LZ-21.8-76-ET3	21	76	-	3	-	-
IN-LZ-22-3-ET2.2	22	76.2	-	2.2	-	-
IN-LZ-25-2.5-ET2	25	63.5	-	2	-	-
IN-LZ-25-3-ET2	25	76.2	-	2	-	-
IN-LZ-25-3.76-ET2.4	25	96.5	-	2.4	-	-
IN-LZ-1-0.5-ET2	25.4	12.7	-	2	-	-
IN-LZ-1-1-ET3	25.4	25.4	-	3	-	-
IN-LZ-1-30-ET3	25.4	30	-	3	-	-
IN-LZ-1-1.5-ET2.1	25.4	38.1	-	2.1	-	-
IN-LZ-1-1.5-ET3	25.4	38.1	-	3	-	-
IN-LZ-1-2-ET2	25.4	50.8	-	2	-	-
IN-LZ-1-2-ET3	25.4	50.8	1.883	3	1.883	-
IN-LZ-1-2.5-ET3	25.4	63.5	2.436	3	2.436	-
IN-LZ-1-2.5-ET2	25.4	63.5	-	2	-	-
IN-LZ-1-3-ET3	25.4	76.2	-	3	-	-
IN-LZ-1-3-ET2	25.4	76.2	-	2	-	-
IN-LZ-1-4-ET3	25.4	101.6	-	3	-	-
IN-LZ-1-4-ET2	25.4	101.6	-	2	-	-
IN-LZ-1-5-ET3	25.4	127	-	3	-	-
IN-LZ-1-5-ET6	25.4	127	-	6	-	-
IN-LZ-1-6-ET2	25.4	152.4	-	2	-	-
IN-LZ-1-6.17-ET3	25.4	152.4	-	3	-	-
IN-LZ-1-7-ET3	25.4	177.8	-	3	-	-
IN-LZ-1-7.5-ET3	25.4	190.5	-	3	-	-
IN-LZ-1-300-ET3	25.4	300	-	3	-	-
IN-LZ-1-400-ET3	25.4	400	-	3	-	-
IN-LZ-27-48-ET2	27	48	-	2	-	-
IN-LZ-1.1-1-ET3	27.9	25.4	-	3	-	-
IN-LZ-1.1-1.5-ET3	27.9	38.1	-	3	-	-
IN-LZ-1.1-2-ET3	27.9	50.8	-	3	-	-
IN-LZ-1.1-2.5-ET2	27.9	63.4	2.446	2	2.446	56
IN-LZ-1.1-2.5-ET3	27.9	63.5	-	3	-	-
IN-LZ-1.1-67.4-ET2	27.9	67.4	-	2	-	-
IN-LZ-1.1-3-ET2	27.9	76.2	-	2	-	-
IN-LZ-1.1-3-ET3	27.9	76.2	-	3	-	-
IN-LZ-1.1-3.5-ET2.5	27.9	88.9	-	2.5	-	-
IN-LZ-1.1-3.5-ET3	27.9	88.9	-	3	-	-
IN-LZ-1.1-3.75-ET3	27.9	95.2	-	3	-	-
IN-LZ-1.1-3.75-ET3.5	27.9	95.2	-	3.5	-	-
IN-LZ-1.1-4-ET3	27.9	101.6	-	3	-	-
IN-LZ-1.1-5-ET2	27.9	125.7	4.898	2	4.898	92
IN-LZ-1.1-5-ET6	27.9	127	-	6	-	-
IN-LZ-1.1-5-ET3	27.9	127	-	3	-	-
IN-LZ-30-69.65-ET2.8	30	69.6	-	2.8	-	-
IN-LZ-30-3-ET3	30	76.2	-	3	-	-
IN-LZ-30-76.7-ET3	30	76.7	-	3	-	-
IN-LZ-30-77.9-ET3	30	77.9	-	3	-	-
IN-LZ-30-90.15-ET3	30	90.1	-	3	-	-
IN-LZ-30-3.75-ET2.2	30	94	-	2.2	-	-
IN-LZ-30-94.7-ET3.1	30	94.7	-	3.1	-	-
IN-LZ-30-112.20-ET2.3	30	112.2	-	2.3	-	-
IN-LZ-30-6.6-ET3.5	30	167.6	-	3.5	-	-
IN-LZ-1.25-3-ET3	31.7	76.2	-	3	-	-
IN-LZ-38-150-ET3	38	150	-	3	-	-
IN-LZ-38-190.25-ET3.3	38	190	-	3.3	-	-
IN-LZ-38-300-ET3	38	300	-	3	-	-
IN-LZ-1.5-15-ET3	38.1	15	-	3	-	-
IN-LZ-1.5-25-ET2	38.1	25	-	2	-	-
IN-LZ-1.5-1.5-ET3	38.1	38.1	-	3	-	-
IN-LZ-1.5-2-ET3	38.1	50.8	-	3	-	-
IN-LZ-1.5-2.5-ET3	38.1	63.5	-	3	-	-
IN-LZ-1.5-2.5-ET6	38.1	63.5	-	6	-	-

株式会社インテック

TEL: 03-6279-9671 FAX: 03-6279-9672

Email: sales@intech-jp.com

IN-LZ-1.5-2.5-ET2	38.1	65.2	2.5	2	2.5	35
IN-LZ-1.5-3-ET3	38.1	76.2	-	3	-	-
IN-LZ-1.5-3.5-ET3	38.1	90.5	3.492	3	3.492	76
IN-LZ-1.5-3.75-ET3	38.1	95.2	-	3	-	-
IN-LZ-1.5-100-ET3	38.1	100	-	3	-	-
IN-LZ-1.5-5-ET5	38.1	128.1	4.945	5	4.945	219
IN-LZ-1.5-5-ET7.6	38.1	128.1	4.865	7.6	4.865	494
IN-LZ-1.5-5-ET8	38.1	128.1	4.9	8	4.9	527
IN-LZ-1.5-5-ET6	38.1	128.1	4.93	6	4.93	306
IN-LZ-1.5-5-ET3	38.1	128.1	4.979	3	4.979	76
IN-LZ-1.5-5.13-ET7	38.1	130.3	4.998	7	4.998	430
IN-LZ-1.5-175-ET3.3	38.1	175	-	3.3	-	-
IN-LZ-1.5-7.5-ET7.6	38.1	189	7.304	7.6	7.304	494
IN-LZ-1.5-7.5-ET6	38.1	190.5	-	6	-	-
IN-LZ-1.5-7.5-ET8	38.1	191	7.384	8	7.384	544
IN-LZ-1.5-7.5-ET4	38.1	191	7.445	4	7.445	135
IN-LZ-1.5-7.63-ET7.6	38.1	193	7.495	7.6	7.495	494
IN-LZ-1.5-205-ET3	38.1	205	-	3	-	-
IN-LZ-1.5-9-ET4	38.1	228.6	-	4	-	-
IN-LZ-1.5-10-ET7.6	38.1	254	-	7.6	-	-
IN-LZ-1.5-400-ET3	38.1	400	-	3	-	-
IN-LZ-1.5-1000-ET2.5	38.1	1000	-	2.5	-	-
IN-LZ-1.5-3500-ET3	38.1	3500	-	3	-	-
IN-LZ-50-11.8-ET3	50	11.8	-	3	-	-
IN-LZ-50-45-ET5	50	45	-	5	-	-
IN-LZ-50-50-ET3	50	50	-	3	-	-
IN-LZ-50-67-ET3	50	67	-	3	-	-
IN-LZ-50-3.94-ET3	50	99.1	-	3	-	-
IN-LZ-50-100-ET10	50	100	-	10	-	-
IN-LZ-50-6-ET3	50	152.4	-	3	-	-
IN-LZ-50-200-ET10	50	200	-	10	-	-
IN-LZ-50-200-ET5	50	200	-	5	-	-
IN-LZ-50-1000-ET5	50	1000	-	5	-	-
IN-LZ-2-15-ET3.5	50.8	15	-	3.5	-	-
IN-LZ-2-20-ET5	50.8	20	-	5	-	-
IN-LZ-2-25-ET1.5	50.8	25	-	1.5	-	-
IN-LZ-2-50-ET3	50.8	50	-	3	-	-
IN-LZ-2-2-ET3.5	50.8	50.8	-	3.5	-	-
IN-LZ-2-2.5-ET6	50.8	63.5	-	6	-	-
IN-LZ-2-100-ET3	50.8	100	-	3	-	-
IN-LZ-2-5-ET7.8	50.8	127	-	7.8	-	-
IN-LZ-2-5-ET9.6	50.8	127	-	9.6	-	-
IN-LZ-2-5-ET3	50.8	127	-	3	-	-
IN-LZ-2-5-ET8	50.8	128.1	4.887	8	4.887	297
IN-LZ-2-150-ET3	50.8	150	-	3	-	-
IN-LZ-2-6-ET3	50.8	152.4	-	3	-	-
IN-LZ-2-171-ET3.2	50.8	171	-	3.2	-	-
IN-LZ-2-7.5-ET8	50.8	190.2	7.339	8	7.339	297
IN-LZ-2-7.5-ET9	50.8	191.2	7.348	9	7.348	446
IN-LZ-2-8.75-ET7.8	50.8	222.2	-	7.8	-	-
IN-LZ-2-250-ET3	50.8	250	-	3	-	-
IN-LZ-2-10-ET9.6	50.8	254	-	9.6	-	-
IN-LZ-2-10-ET8	50.8	256.6	9.96	8	9.96	297
IN-LZ-2-13-ET3	50.8	330.2	-	3	-	-
IN-LZ-2-500-ET3	50.8	500	-	3	-	-
IN-LZ-2-1000-ET3	50.8	1000	-	3	-	-
IN-LZ-2.5-5-ET6	63.5	127	-	6	-	-
IN-LZ-2.5-8.75-ET7.9	63.5	222.2	-	7.9	-	-
IN-LZ-3-100-ET10	76.2	100	-	10	-	-
IN-LZ-3-200-ET5	76.2	200	-	5	-	-
IN-LZ-3-1000-ET10	76.2	1000	-	10	-	-
IN-LZ-3-4500-ET10	76.2	4500	-	10	-	-
IN-LZ-4-500-ET8	101.6	500	-	8	-	-